



SAFETY DATA SHEET

1. Identification of the substance / company

Product Name: Marmox Construction Board, Marmox Showerlay

Manufacturer: Marmox

Supplier (UK): Marmox (UK) Ltd
Unit 3, Forward Way,
Laker Road,
Rochester,
Kent
ME1 3QX
Tel: 01634 86 22 77
Fax: 01634 86 42 23
Web: www.marmox.com

2. Composition / Information of Constituents

Core material is extruded polystyrene rigid foam including a halogenated fire retardant. The foam has been tested and contains no gases or other volatiles were found other than O₂, N₂ and CO₂. This product is classified as containing no hazardous ingredients according to EC directives

Coating material is a polymer-cement-fibreglass composite.
This product is classified as containing no hazardous ingredients according to EC directives

3. Hazard Identification

This product is not classified as hazardous (to people or to the environment) under current CHIP regulations.

4. First Aid Measures

Inhalation: Exposure Pathway - on dust formation: Move the affected person into fresh air. Dust is non-toxic but obtain medical attention if symptoms persist.

Ingestion: Exposure Pathway – swallowing the material: material is non-toxic but as it is inert, it may cause blockages to the g.i. tract so do not use laxatives. Medical attention may need to be sought.

Absorption thru Skin: Exposure Pathway – none

Contact with Eyes: Exposure pathway – on dust formation: Wash eyes with plenty of water for several minutes for at least 15 minutes.



5. Fire Fighting Measures

Marmox is class “O” indicating that generally it will not burn except in circumstances where it is in contact with flammable materials or extremely high temperatures in excess of 350°C.

Suitable Extinguishing Media: Water spray.

Un-suitable Extinguishing Media: None

Exposure Hazards arising from fire: Dense black choking smoke that can rapidly develop reducing visibility. Toxic gases such as Carbon Monoxide and Hydrogen Bromide will be generated.

Fire fighting Equipment: Protective respirator with independent air supply.

6. Accidental Release Measures

Environmental Precautions: No special measures required

Personal Precautions: No special measures required

Method for Cleaning up Spills: No special measures required

7. Handling and Storage

Handling: No special measures required.

Marmox is lightweight and can be lifted by one person. Marmox “long boards” may require two men to carry to avoid damage to the boards.

Although Marmox includes a fire retardant, mechanical cutting, grinding or sawing can result in the formation of dust . In order to prevent a dust explosion, the accumulation of dust should be avoided. Do not expose Marmox to any ignition sources during any processes that generate dust.

Storage: No special measures required.

“Short boards” and Showerlay boards are packed in cardboard. Since cardboard is flammable, care should be taken to remove any risks of the packaging material catching fire.

8. Exposure Controls / Personal Protection

Exposure Limits: Residual Foam Agent	The amount of foaming agent used in the manufacture of the foam is so low it cannot be accurately measured and is consequently not considerably below the limits to have any exposure limits.
Exposure Limits: Dust	The Time Weighted Average LTA is 8 hours. 10mg/m ³ inhalable and 4mg/m ³ respirable.
Respiratory Protection:	No special measures required .A dust mask may be worn if excessive dust is generated.
Hand Protection:	No special measures required.
Eye Protection:	No special measures required

9. Physical and Chemical Properties

Appearance:	Sandwich board with a blue foam middle and a grey fabric reinforced skin.
Packaging:	Smaller sizes are packed in cardboard, Larger units are stacked on MDF pallets.
Odour:	None
Solubility in Water:	Insoluble
Specific Gravity:	Foam = 0.027, Skin = 0.064 (at 20°C)
Ignition Point:	approx. 350°C
Melting Point:	Material starts to becomes soft >150°C
Boiling Point:	N/A
Explosion Hazard:	None
Hazchem Code:	None

10. Stability and Reactivity

Stability:	Completely inert during normal operational conditions
Materials / Conditions to avoid:	Temperatures above 300°C Aromatic hydrocarbons - organic solvents Adhesives based on organic solvents. Strong Oxidising agents – acids.
Hazardous Decomposition Products:	High temperatures (but not burning) may generate small amounts of aromatic hydrocarbons or trace amounts of hydrogen halides . Burning foam will emit dense black smoke.

11. Toxicological Information

Inhalation:	Dust may irritate respiratory system
Ingestion:	Discomfort if swallowed
Skin:	None
Eyes:	Particles are abrasive and may cause damage to the cornea.
Toxicity of Material in normal use:	None

12. Ecological Information

Not regarded as hazardous to the environment

13. Disposal Considerations

Recycling of this product is currently not widely available. It is expected that sandwich boards of this nature will be able to be recycled soon. In the UK, it should be disposed of in landfill sites. The material should not be incinerated except in regulated and approved incineration plants.

14. Transportation

Not classified as a hazardous material by road, rail, sea or air.

UN –Number: N/A

15. Regulatory Information

Classification according EC Directive on Dangerous Product Regulations:	None
Classification on UK Environmental Listing:	None

16. Other Information

- Last revision of this MSDS: 8th May 2008
- The Marmox Showerlay is comprised of the same material as the Marmox board. One difference is that it has a thin stainless steel plate surrounding the drain hole bonded to the base of the unit with an inert epoxy adhesive.
- Prepared in good faith with the belief that all the information herein is accurate based by Mark Bowman, Marmox UK Ltd.